

TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBC268Ra01 100µg

Recombinant 11-Beta-Hydroxysteroid Dehydrogenase Type 1 (HSD11b1)

Organism Species: Rattus norvegicus (Rat)

Instruction manual

kDa 70

44

33

26

22 18

14

10

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

[PROPERTIES]

Residues: Met1~Asn288 Tags: Two N-terminal Tags, His-tag and T7-tag Accession: P16232 Host: E. coli Subcellular Location: Endoplasmic reticulum membrane; Single-pass type II membrane protein. **Purity: >95%** Endotoxin Level: <1.0EU per 1µg (determined by the LAL method). Formulation: Supplied as lyophilized form in PBS, pH7.4, 15% SDS-PAGE containing 5% trehalose, 0.01% sarcosyl. Predicted isoelectric point: 8.6 Predicted Molecular Mass: 35.6kDa Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

[USAGE]

Reconstitute in sterile PBS, pH7.2-pH7.4.



Email:shybio@126.com

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

MKKYLLPVLV LCLGYYYSTN EEFRPEMLQG KKVIVTGASK GIGREMAYHL SKMGAHVVLT ARSEEGLQKV VSRCLELGAA SAHYIAGTME DMAFAERFVV EAGKLLGGLD MLILNHITQT TMSLFHDDIH SVRRSMEVNF LSYVVLSTAA LPMLKQSNGS IAIISSMAGK MTQPLIASYS ASKFALDGFF STIRKEHLMT KVNVSITLCV LGFIDTETAL KETSGIILSQ AAPKEECALE IIKGTVLRKD EVYYDKSSWT PLLLGNPGRR IMEFLSLRSY NRDLFVSN