



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBA734Mu01 500µg
Recombinant Protein C (PROC)
Organism Species: Mus musculus (Mouse)
Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

[PROPERTIES]

Residues: Lys197~Lys436

Tags: Two N-terminal Tags, His-tag and GST-tag

Accession: P33587

Host: *E. coli*

Purity: >95%

Endotoxin Level: <1.0EU per 1µg (determined by the LAL method).


Formulation: Supplied as lyophilized form in 20mM Tris, 500mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% sarcosyl, 5% trehalose, and preservative

Predicted isoelectric point: 6.1

Predicted Molecular Mass: 58.7kDa

Accurate Molecular Mass: 50&80kDa as determined by SDS-PAGE reducing conditions.

Applications: SDS-PAGE; WB; ELISA; IP.



The possible reasons that the actual band size differs from the predicted are as follows:

(May be suitable for use in other assays to be determined by the end user.)

Note:

1. Splice variants: Alternative splicing may create different sized proteins from the same gene.
2. Relative charge: The composition of amino acids may affects the charge of the protein.
3. Post-translational modification: Phosphorylation, glycosylation, methylation etc.



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

4. Post-translation cleavage: Many proteins are synthesized as pro-proteins, and then cleaved to give the active form.

5. Polymerization of the target protein: Dimerization, multimerization etc.



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

[USAGE]

Reconstitute in ddH₂O.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

KRDT DLEDE LE PDP RIVNG TLTKQ GDS PWQAI LL DSKKK LACG G VLIHTSWVLT
AAHCVEGTTK LTVRLGEYDL RRRDHWELDL DIKEILVHPN YTRSSSDNDI ALLRLAQPAT
LSKTIVPICL PNNGLAQELT QAGQETVVTG WGYQSDRIKD GRRNRTFILF FIRIPLVARN
E C V E V M K N V V S E N M L C A G I I G D T R D A C D G D S G G P M V V F F R G T W F L V G L V S
WGEGCGHTNN YGIYTK

[REFERENCES]

1. Jalbert L.R., *et al.* (1998) *Thromb. Haemost.* 79:310-316.
2. Murakawa M., *et al.* (1994) *Br. J. Haematol.* 86:590-600.
3. Isermann B., *et al.* (2003) *Nat. Med.* 9:331-337.
4. Weijer S., *et al.* (2005) *Blood* 106:2761-2768.