

多巴色素异构酶(DT)重组蛋白

适用生物 Homo sapiens (Human,人)

产品应用 SDS-PAGE; WB; ELISA; IP. 规格 50ug

分子量 30.9kDa 价格 请咨询当地代理商

纯度 > 95%

来源 原核表达

Recombinant Dopachrome Tautomerase (DCT)

FOR IN VITRO AND RESEARCH USE ONLY, NOT FOR USE IN CLINICAL DIAGNOSTIC PRO CEDURES!

Organism species	Homo sapiens (Human)
Product No.	YBB066Hu01
Source	Prokaryotic expression
Host	E. coli
Purity	> 95%
UOM	
UUM	50ug
Predicted Molecular Mass	30. 9kDa
Predicted isoelectric point	8. 5
Applications	SDS-PAGE; WB; ELISA; IP.
Endotoxin Level	<1.0EU per 1µg (determined by the LAL method)



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

Subcellular Location	Melanosome membrane; Single-pass type I membrane protein.
Residues	Val28~Gly263 (Accession # P40126) with two N-terminal Tags, His-tag and T7-tag
Formulation	Supplied as lyophilized form in PBS, pH7.4, containing 5% trehalose, 0.01% sarcosy

SEQUENCES

The target protein is fused with two N-terminal Tags, His-tag and T7-tag, its sequence is listed b elow.

MGSSHHHHHH SSGLVPRGSH MASMTGGQQM GRGSEF- VCM TVDSLVNKEC CPRLGAESAN VCGSQQGRGQ CTEVRADTRP WSGPYILRNQ DDRELWPRKF FHRTCKCTGN FAGYNCGDCK F GWTGPNCER KKPPVIRQNI HSLSPQEREQ FLGALDLAKK RVHPDYVITT QHWLGLLGPN GTQPQ FANCS VYDFFVWLHY YSVRDTLLGP GRPYRAIDFS HQGPAFVTWH RYHLLCLERD LQRLIGNES F ALPYWNFATG RNECDVCTDQ LFG

USAGE

Reconstitute in sterile PBS, pH7.2-pH7.4.

STORAGE AND STABILITY

Storage: Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37° C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Bi ological Products Standard, which was calculated by the Arrhenius equation.) The loss of this pro tein is less than 5% within the expiration date under appropriate storage condition.

About the MARKER (complimentary)

Effective Size Range: 10kDa to 70kDa.

Protein bands: 10kDa, 14kDa, 18kDa, 22kDa, 26kDa, 33kDa, 44kDa and 70kDa.

Double intensity bands: The 26kDa, 18kDa, 10kDa bands are at double intensity to make loc

ation and size approximation of proteins of interest quick and easy.

Ready-to-use: No need to heat, dilute or add reducing agents before use.