

YBB288Hu01 100µg Recombinant ATP Binding Cassette Transporter G1 (ABCG1) **Organism Species: Homo sapiens (Human)** Instruction manual

## FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

kDa 94 66.2 45 33 26 20 14.4 15% SDS-PAGE

9th Edition (Revised in Jul, 2013)

## [ PROPERTIES ]

Residues: Phe79~Gly312 (Accession # P45844), with Nterminal His-Tag. Host: E. coli Subcellular Location: Mitochondrion. Endoplasmic reticulum membrane; Multi-pass membrane protein. Golgi apparatus membrane; Multi-pass membrane protein. **Purity: >95%** Endotoxin Level: <1.0EU per 1µg (determined by the LAL method). Formulation: Supplied as lyophilized form in PBS, pH7.4, containing 5% sucrose, 0.01% sarcosyl. Predicted isoelectric point: 9.2 Predicted Molecular Mass: 27.3kDa Applications: SDS-PAGE; WB; ELISA; IP. (May be suitable for use in other assays to be determined by the end user.)



TEL: 4006-871-227

We b:www.ybio.net Em ail:shybio@126.com **Reconstitute in sterile PBS, pH7.2-pH7.4.** 



## [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliguot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

## [SEQUENCES]

The target protein is fused with N-terminal His-Tag, its sequence is listed below. MGHHHHHHSG SEF-FR DLSYSVPEGP WWRKKGYKTL LKGISGKFNS GELVAIMGPS GAGKSTLMNI LAGYRETGMK GAVLINGLPR DLRCFRKVSC YIMQDDMLLP HLTVQEAMMV SAHLKLQEKD EGRREMVKEI LTALGLLSCA NTRTGSLSGG QRKRLAIALE LVNNPPVMFF DEPTSGLDSA SCFQVVSLMK GLAQGGRSII CTIHQPSAKL FELFDQLYVL SQGQCVYRGK VCNLVPYLRD LG