

TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBQ164Hu01 100µg

Recombinant BMX Non Receptor Tyrosine Kinase (BMX)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

70

26

18

14

10

15% SDS-PAGE

[PROPERTIES]

Residues: Glu287~Glv523

Tags: Two N-terminal Tags, His-tag and T7-tag

Accession: P51813

Host: E. coli

Subcellular Location: Cytoplasm.

Purity: >95%

Endotoxin Level: <1.0EU per 1µg (determined by the

LAL method).

Formulation: Supplied as lyophilized form in PBS, pH7.4, containing 5% trehalose, 0.01% sarcosyl.

Predicted isoelectric point: 6.8 Predicted Molecular

Mass: 30.7kDa

Accurate Molecular Mass: 30&24kDa as determined by SDS-PAGE

reducing conditions.

Applications: SDS-PAGE; WB; ELISA; IP.

The possible reasons that the actual band size differs from the predicted are as follows:

(May be suitable for use in other assays to be determined by the end user.) Note:

- 1. Splice variants: Alternative splicing may create different sized proteins from the same gene.
- 2. Relative charge: The composition of amino acids may affects the charge of the protein.
- 3. Post-translational modification: Phosphorylation, glycosylation, methylation etc.
- 4. Post-translation cleavage: Many proteins are synthesized as pro-proteins, and then cleaved to give the active form.





[USAGE]

Reconstitute in sterile PBS, pH7.2-pH7.4.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

EEEN LDDYDWFAGN ISRSQSEQLL RQKGKEGAFM VRNSSQVGMY TVSLFSKAVN DKKGTVKHYH VHTNAENKLY LAENYCFDSI PKLIHYHQHN SAGMITRLRH PVSTKANKVP DSVSLGNGIW ELKREEITLL KELGSGQFGV VQLGKWKGQY DVAVKMIKEG SMSEDEFFQE AQTMMKLSHP KLVKFYGVCS KEYPIYIVTE YISNGCLLNY LRSHGKGLEP SQLLEMCYDV **CEG**