TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBJ314Hu01 100µg

Recombinant Di-N-Acetyl Chitobiase (CTBS)

Organism Species: Homo sapiens (Human)

Instruction manual

kDa

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

[PROPERTIES]

70 Residues: Glu47~Arg385 Tags: Two N-terminal Tags, His-tag and T7-tag 44 Accession: Q01459 33 Host: E. coli 26 22 Subcellular Location: Lysosome. **Purity: >90%** 18 Endotoxin Level: <1.0EU per 1µg (determined by the LAL 14 method). 10 Formulation: Supplied as lyophilized form in PBS, pH7.4, containing 5% trehalose, 0.01% sarcosyl. 15% SDS-PAGE Predicted isoelectric point: 5.7 Predicted Molecular Mass: 42.6kDa Applications: SDS-PAGE; WB; ELISA; IP. (May be suitable for use in other assays to be determined by the end user.)

[USAGE]

Reconstitute in sterile PBS, pH7.2-pH7.4.

TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[<u>SEQUENCES</u>]

The sequence of the target protein is listed below.

ELCR PIRHHPDFEV FVFDVGQKTW KSYDWSQITT VATFGKYDSE LMCYAHSKGA RVVLKGDVSL KDIIDPAFRA SWIAQKLNLA KTQYMDGINI DIEQEVNCLS PEYDALTALV KETTDSFHRE IEGSQVTFDV AWSPKNIDRR CYNYTGIADA CDFLFVMSYD EQSQIWSECI AAANAPYNQT LTGYNDYIKM SINPKKLVMG VPWYGYDYTC LNLSEDHVCT IAKVPFRGAP CSDAAGRQVP YKTIMKQINS SISGNLWDKD QRAPYYNYKD PAGHFHQVWY DNPQSISLKA TYIQNYRLRG IGMWNANCLD YSGDAVAKQQ TEEMWEVLKP KLLQR