



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBB997Ra01 50μg

Recombinant Apolipoprotein A5 (APOA5)

Organism Species: *Rattus norvegicus* (Rat)

*Instruction
manual*

FOR IN VITRO USE AND RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan,
2014)

[PROPERTIES]

Residues: Gln169~Gly367

Tags: N-terminal His-Tag


Accession: Q9QUH3

Host: *E. coli*

Purity: >95%

Endotoxin Level: <1.0EU per 1μg (determined by the
LAL method).

Formulation: Supplied as lyophilized form in 20mL
Tris, 500mM NaCl, pH8.0, containing 1mM EDTA, 1mM
DTT, 0.01% sarcosyl, 5% trehalose, and preservative.



The possible reasons that the actual band size differs from the predicted are as follows:

Predicted isoelectric point:

6.2 Predicted Molecular Mass:

24.0kDa

Accurate Molecular Mass: 27kDa as determined by SDS-PAGE reducing
conditions. Applications: SDS-PAGE; WB; ELISA; IP.



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

(May be suitable for use in other assays to be determined by the end user.)

Note:

1. Splice variants: Alternative splicing may create different sized proteins from the same gene.
2. Relative charge: The composition of amino acids may affects the charge of the protein.
3. Post-translational modification: Phosphorylation, glycosylation, methylation etc.
4. Post-translation cleavage: Many proteins are synthesized as pro-proteins, and then cleaved to give the active form.
5. Polymerization of the target protein: Dimerization, multimerization etc.

[USAGE]

Reconstitute in ddH₂O.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

QD MQ S RV L H H T D RV K E L F H P YA ER LV T G I G H H VQ E L H R S VA P HAVA S PA R L S
RCVQTLSHKL TRKAKDLHTS IQRNLDQLRD ELSTFIRVST DGADNRDSLDPQALSDEVQR



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

RLQAFRHDTY LQIAAFTQAI DQETEEIQHQ LAPPPPSHA FAPELGHSN NKALSRLQSR

LDDLWEDIAY GLHDQGHSON NPEGHSG

[REFERENCES]

1. van Der Vliet H.N., *et al.* (2001) J. Biol. Chem. 276:44512-44520.
2. Dorfmeister B., *et al.* (2006) Diabetologia 49:1324-1332.
3. Shu X., *et al.* (2008) J. Lipid Res. 49:1670-1676.
4. Helleboid-Chapman A., *et al.* (2009) Cell. Physiol. Biochem. 24:451-460.