TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBA684Bo01 10µg

Recombinant Mucin 5 Subtype B (MUC5B) Organism Species: Bos taurus; Bovine (Cattle)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

# [ <u>PROPERTIES</u> ]

Residues: Gln6489<sup>~</sup>Tyr6632

Tags: Two N-terminal Tags, His-tag and T7-tag Accession: F2FB42

Host: E. coli

Purity: >95%

Endotoxin Level: <1.0EU per  $1 \mu g$  (determined by the LAL method).

Formulation: Supplied as lyophilized form in 100mM NaHCO3, 500mM NaCl, pH8.3, containing 1mM EDTA, 1mM DTT, 0.01% sarcosyl, 5%

Predicted isoelectric point: 6.3

trehalose, and preservative.

Predicted Molecular Mass:

19.3kDa

Applications: SDS-PAGE; WB; ELISA; IP.



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

(May be suitable for use in other assays to be determined by the end user.)

#### [ USAGE ]

Reconstitute in sterile ddH<sub>2</sub>O.

# [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

# [ SEQUENCES ]

The sequence of the target protein is listed below. QC CG ECVQTACL APDGQLVQLN ETWVNSLVDN CTEYHCQ ARD GPPMLTPMPV V C P D G G Q V H S N M T V L R H R G C V TAV K V S F C E G S C P K S V P G A S H C L R T P K R L GAGYSMEAQA RQCSCSCCQE TRTHQEVVTM QCPDGTAFQH TY

### [ REFERENCES ]

1. Hoorens P. R. Y. (2010) Submitted to the EMBL/GenBank/DDBJ databases. 2. Hoorens P.R., et al. (2011) BMC Genomics 12:140-140. 3. Desseyn JL., et al. (1998) J Biol Chem 273 (46): 30157-64.