

TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBB601Hu01 10µg

Recombinant B-Lymphocyte Chemoattractant 1 (BLC1)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

11th Edition (Revised in May, 2016)

## [PROPERTIES]

Source: Prokaryotic expression. Host: E. coli Residues: Val23~Arg94 Tags: N-terminal His-Tag Tissue Specificity: Blood. **Purity:** >98% Traits: Freeze-dried powder Buffer formulation: PBS, pH7.4, containing 1mM DTT, 5% trehalose, 0.01% sarcosyl and Proclin300. Original Concentration: 200ug/mL **Applications:** SDS-PAGE; WB; ELISA; IP; CoIP; Reporter Assays; Purification; Amine Reactive Labeling. (May be suitable for use in other assays to be determined by the end user.) Predicted isoelectric point: 10.4 Predicted Molecular Mass: 12.4kDa Accurate Molecular Mass: 17kDa as determined by SDS-PAGE reducing conditions. Phenomenon explanation: The possible reasons that the actual band size differs from the predicted are as follows: 1. Splice variants: Alternative splicing may create different sized proteins from the same gene. 2. Relative charge: The composition of amino acids may affects the charge of the protein.



TEL:4006-871-227 Web:www.ybio.net

Email:shybio@126.com

- 3. Post-translational modification: Phosphorylation, glycosylation, methylation etc.
- 4. Post-translation cleavage: Many proteins are synthesized as pro-proteins, and then cleaved to give the active form.
- 5. Polymerization of the target protein: Dimerization, multimerization etc.

# [ <u>USAGE</u> ]

Reconstitute in PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

### [ STORAGE AND STABILITY ]


Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

### [<u>SEQUENCE</u>]



#### [IDENTIFICATION]

目的日期生物

TEL:4006-871-227 Web:www.ybio.net Email:shybio@126. com

Figure 1. SDS-PAGE