



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBB019Ra01 10 μ g

Recombinant Angiopoietin Like Protein 4 (ANGPTL4)

Organism Species: *Rattus norvegicus* (Rat)

*Instruction
manual*

FOR IN VITRO USE AND RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan,
2014)

[PROPERTIES]

Residues: Arg182~Leu394

Tags: Two N-terminal Tags, His-tag and S-tag

Accession: Q6TMA8


Host: *E. coli*

Subcellular Location: Secreted, extracellular
space, extracellular matrix.

Purity: >95%

Endotoxin Level: <1.0EU per 1 μ g (determined by
the LAL method).

Formulation: Supplied as lyophilized form in
PBS, pH7.4, containing 1mM DTT, 5% trehalose,
0.01% sarcosyl and preservative.



The possible reasons that the actual band size differs from the predicted are as follows:

Predicted isoelectric point:

5.8 Predicted Molecular Mass:

29.8kDa

Accurate Molecular Mass: 34kDa as determined by SDS-PAGE reducing
conditions. Applications: SDS-PAGE; WB; ELISA; IP.



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

(May be suitable for use in other assays to be determined by the end user.)

Note:

1. Splice variants: Alternative splicing may create different sized proteins from the same gene.
2. Relative charge: The composition of amino acids may affects the charge of the protein.
3. Post-translational modification: Phosphorylation, glycosylation, methylation etc.
4. Post-translation cleavage: Many proteins are synthesized as pro-proteins, and then cleaved to give the active form.
5. Polymerization of the target protein: Dimerization, multimerization etc.

[USAGE]

Reconstitute in sterile PBS, pH7.2-pH7.4.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

RPPRDCQEL FQGERHSG L FQIQPLGSPP FLVNCEMTSD GGWTVIQRRL NGSVDFNQSW
EAYKDGFGDP QGEFWLGLEK MHSITGDRGS QLAVQLQDWD GNAKLLQFPI HLGGEDTAYS
L Q L T E P T A N E L G A T N V S P N G L S L P F S T W D Q D H D L R G D L N C A K S L S G G W W F



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

GTCSHSNLNG QYFHSIPRQR QQRKKGIFWK TWKGYYPLQ ATTL

[REFERENCES]

1. Ge H., *et al.* (2004) J. Biol. Chem. 279:2038-2045.
2. Yoshida K., *et al.* (2002) J. Lipid Res. 43:1770-1772.
3. Xu A., *et al.* (2005) Proc. Natl. Acad. Sci. U.S.A. 102:6086-6091.
4. Ge H., *et al.* (2005) J. Lipid Res. 46:1484-1490.