



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBA537Hu01 50 μ g

Recombinant Enolase, Neuron Specific (NSE)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

[PROPERTIES]

Residues: Met1~Leu434

Tags: N-terminal His-Tag

Accession: P09104

Host: *E. coli*

Subcellular Location: Cytoplasm. Cell
membrane.

Purity: >95%

Endotoxin Level: <1.0EU per 1 μ g
(determined by the LAL method).


Formulation: Supplied as lyophilized form in
PBS, pH7.4, containing 0.01% sarcosyl.

Predicted isoelectric point: 5.1

Predicted Molecular Mass: 48.8kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)





TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

[USAGE]



Reconstitute in sterile PBS, pH7.2-pH7.4.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

MSIEKIWARE ILDSRGNPTV EVDLYTAKGL FRAAVPSGAS TGIYEALRLR DGDKQRYLKG
GVLKAVDHIN STIAPALISS GLSVVEQEKL DNLMLELDGT ENKSKFGANA ILGVS LAVCK
AGAAERELPL YRHIAQLAGN SDLILPVPAF NVINGGSHAG NKLAMQEFMI LPVGAESFRD
AMRLGAEVYH TLKGVIKDKY GKDATNVGDE GGFAPNILEN SEALELVKEA IDKAGYTEKI
VIGMDVAASE FYRDGKYDLD FKSPDPSRY ITGDQLGALY QDFVRDYPVV SIEDPFDQDD
WAAWSKFTAN VGIQIVGDDL TVTNPKRIER AVEEKACNCL LLKVNQIGSV TEAIQACKLA
QENGWGMVMS HRSGETEDTF IADLVVGLCT GQIKTGAPCR SERLAKYNQL MRIEEELGDE
ARFAGHNFRN PSVL

[REFERENCES]

1. McAleese S.M., *et al.* (1988) Eur. J. Biochem. 178:413-417.
2. Oliva D., *et al.* (1991) Genomics 10:157-165.
3. Day I.N.M., *et al.* (1987) FEBS Lett. 222:139-143.
4. Fujiwara H., *et al.* (2002) Am. J. Hematol. 71:80-84.