



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBG151Hu01 100 μ g

Recombinant Aspartate Beta Hydroxylase (ASPH)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

[PROPERTIES]

Residues: Arg562~Ile758

Tags: Two N-terminal Tags, His-tag and T7-tag

Accession: Q12797

Host: *E. coli*

Subcellular Location: Endoplasmic
reticulum, Membrane.

Purity: >95%

Endotoxin Level: <1.0EU per 1 μ g (determined by
the LAL method).


Formulation: Supplied as lyophilized form in PBS,
pH7.4, containing 5% trehalose, 0.01% sarcosyl.

Predicted isoelectric point: 8.7

Predicted Molecular Mass:

26.6kDa

Applications: SDS-PAGE; WB; ELISA; IP.





TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

(May be suitable for use in other assays to be determined by the end user.)

[USAGE]

Reconstitute in sterile PBS, pH7.2-pH7.4.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

RSLYNVNGL KAQPWWTPKE TGYTELVKSL ERNWKLIRDE GLAVMDKAKG LFLPEDENLR
E K G D W S Q F T L W Q Q G R R N E N A C K G A P K T C T L L E K F P E T T G C R R G Q I K Y S I M
HPGTHVWPHT GPTNCRMRH LGLVIPKEGC KIRCANETKT WEEGKVLIFD DSFEHEVWQD
ASSFRLIFIV DVWHPELTPQ QRRSLPAI