TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBA008Ra01 10µg

Recombinant Angiopoietin 1 (ANGPT1)

Organism Species: Rattus norvegicus (Rat)

> Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

> 11th Edition (Revised in May, 2016)

[PROPERTIES]

Source: Prokaryotic expression.

Host: E. coli

Residues: Asn304~Ala450 Tags: N-terminal His-Tag

Tissue Specificity: Placenta. Subcellular Location: Secreted.

Purity: >95%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 1mM DTT, 5% trehalose,

0.01% sarcosyl and Proclin300.

Original Concentration: 200ug/mL

Applications: SDS-PAGE; WB; ELISA; IP; CoIP; ReporterAssays;

Purification; Amine Reactive Labeling.

(May be suitable for use in other assays to be determined by the end

user.)

TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

Predicted isoelectric point:

6.4 Predicted Molecular Mass:

18. 3kDa

Accurate Molecular Mass: 18kDa as determined by SDS-PAGE reducing conditions.

「USAGE]

Reconstitute in PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



[<u>SEQUENCE</u>]

NNMPEPK KVFCNMDVNE GGWTVIQHRE DGSLDFQRGW KEYKMGFGNP SGEYWLGNEF IFAITSQRQY MLRIELMDWE GNRAYSQYDR FHIGNQKQNY RLYLKGHTGT AGKQSSLILH GADFSTKDAD NDNCMCKCAL MLTGGWWFDA

[IDENTIFICATION]




Figure 1. SDS-PAGE



TEL: 4006-871-227 Web: www.ybio.net Email: shybio@126.com