TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBJ596Hu01 1mg

Recombinant Artemin (ARTN)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

11th Edition (Revised in May, 2016)

[<u>PROPERTIES</u>]

Source: Prokaryotic expression. Host: E. coli **Residues:** Ala108~G1y220 Tags: Two N-terminal Tags, His-tag and GST-tag **Purity:** >94% Traits: Freeze-dried powder Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% sarcosyl, 5%Trehalose and Proclin300. **Original Concentration:** 200ug/mL **Applications:** SDS-PAGE; WB; ELISA; IP; CoIP; ReporterAssays; Purification: Amine Reactive Labeling. (May be suitable for use in other assays to be determined by the end user.) Predicted isoelectric point: 11.3 Predicted Molecular Mass: 42.0kDa Accurate Molecular Mass: 42kDa as determined by SDS-PAGE reducing conditions. [USAGE]



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex. [STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at $2-8_{\circ}C$ for one month.

Aliquot and store at -80° C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

「 SEQUE<u>NCE</u> 」 100 MINUM

AGA RGCRLRSOLV PVRALGLGHR SDELVRFRFC SGSCRRARSP HDLSLASLLG AGALRPPPGS RPVSOPCCRP TRYEAVSFMD VNSTWRTVDR LSATACGCLG

[IDENTIFICATION]




Figure 1. SDS-PAGE

