TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBA601Hu01 10µg

Recombinant Myeloperoxidase (MPO)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan. 2014)

[PROPERTIES]

Residues: Val165~Gly278

Tags: N-terminal His-Tag

Accession: P05164

Host: E. coli

Subcellular Location: Lysosome.

Purity: >95%

Endotoxin Level: <1.0EU per 1 µ g (determined by

the LAL method).

Formulation: Supplied as lyophilized form in

20mM Tris, 500mM NaCl, pH8.0, containing 1mM

EDTA, 1mM DTT, 0.01% sarcosyl, 5% trehalose, and


preservative.

Predicted isoelectric point: 6.4

Predicted Molecular Mass:

14. 4kDa

Applications: SDS-PAGE; WB; ELISA; IP.



(May be suitable for use in other assays to be determined by the end user.)

[USAGE]

Reconstitute in ddH2O.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below. VTCPEQ DKYRTITGMC NNRRSPTLGA SNRAFVRWLP AEYEDGFSLP YGWTPGVKRN GFPVALARAV SNEIVRFPTD QLTPDQERSL MFMQWGQLLD HDLDFTPEPA ARASFVTG

[REFERENCES]

- 1. Morishita K., et al. (1987) J. Biol. Chem. 262:3844-3851.
- 2. Morishita K., et al. (1987) J. Biol. Chem. 262:15208-15213.
- 3. Seto P., et al. (1987) J. Clin. Invest. 80:1205-1208.
- 4. Johnson K. R., et al. (1987) Nucleic Acids Res. 15:2013-2028.