TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBS366Hu01 100µg

Recombinant Filaggrin 2 (FLG2)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

> 10th Edition (Revised in Jan. 2014)

[PROPERTIES]

Residues: Val1915~Arg2143

Tags: N-terminal His-Tag

Accession: Q5D862

Host: E. coli Purity: >95%

Endotoxin Level: <1.0EU per 1 µ g (determined by the LAL

method).

Formulation: Supplied as lyophilized form in 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01%

sarcosyl, 5% trehalose, and preservative.

kDa

Predicted isoelectric point:

The possible reasons that the actual band size differs from the predicted are as follows: 7.7 Predicted Molecular Mass:

25. 4kDa

Accurate Molecular Mass: 33kDa as determined by SDS-PAGE reducing

conditions. Applications: SDS-PAGE; WB; ELISA; IP.

TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

(May be suitable for use in other assays to be determined by the end user.)

Note:

- 1. Splice variants: Alternative splicing may create different sized proteins from the same gene.
- 2. Relative charge: The composition of amino acids may affects the charge of the
- 3. Post-translational modification: Phosphorylation, glycosylation, methylation etc.
- 4. Post-translation cleavage: Many proteins are synthesized as pro-proteins, and then cleaved to give the active form.
- 5. Polymerization of the target protein: Dimerization, multimerization etc.

[USAGE]

Reconstitute in sterile ddH2O.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

VHKRHQ TTHGQTGDTT EHGHPSHGQT IQTGSRTTGR RGSGHSEYSD SEGPSGVSHT

HS G H T H G Q A G SH Y P E S G S S V HE R H G T T H G Q TA D T T R H G H S GH G Q S T Q R G S RT T G R R A S G H SE Y S D S E G H S GV S H T H S G H A HG Q A G S Q H G E SG S S V H E R H G



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

TT H G Q T G D T T R H A H S G H G Q S TQ R G S R TA G R RG S G H S E S S D SE V H S G V S H T HSGHTYGQAR SQHGESGSAI HGR

[REFERENCES]

- 1. Bian Y., et al. (2014) J. Proteomics 96:253-262.
- 2. Burkard T.R., et al. (2011) BMC Syst. Biol. 5:17-17.
- 3. Wu Z. (2004) Submitted to the EMBL/GenBank/DDBJ databases.
- 4. Listwan P., Rothnagel J.A. (2005)Submitted to the EMBL/GenBank/DDBJ databases.