



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBA143Hu01 100 $\mu$ g

Recombinant Vascular Endothelial Growth Factor A (VEGFA)

Organism Species: Homo sapiens (Human)

*Instruction manual*

FOR IN VITRO USE AND RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

9th Edition (Revised in Jul, 2013)

## [ PROPERTIES ]

Residues: Pro28~Asp191 (Accession # P15692),  
with N-terminal His-Tag.

Host: *E. coli*

Subcellular Location: Secreted.

Purity: >95%


Endotoxin Level: <1.0EU per 1 $\mu$ g (determined by  
the LAL method).

Formulation: Supplied as lyophilized form in  
20mM Tris, 150mM NaCl, pH8.0, containing 1mM  
EDTA, 1mM DTT, 0.01% sarcosyl, 5% trehalose, and  
preservative.

Predicted isoelectric point: 6.9

Predicted Molecular Mass:

20.6kDa





TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

## [ USAGE ]

Reconstitute in ddH<sub>2</sub>O.

## [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

## [ SEQUENCES ]

The target protein is fused with N-terminal His-Tag, its sequence is listed below.

MGHHHHHSGSEF-PMA EGGGQNHHEV VKFMDVYQRS YCHPIETLVD IFQEYPDEIE  
YIFKPSCVPL MRCGGCCNDE GLECVPTES NITMQIMRIK PHQCGHIGEM SFLQHNKCEC  
R P K K D R A R Q E N P C G P C S E R R K H L F V Q D P Q T C K C S C K N T D S R C K A R Q L E L N  
ERTCRSLTRK D

## [ REFERENCES ]

1. Leung D.W., *et. al.* (1989) J .Science 246:1306-1309.
2. Tischer E., *et. al.* (1991) J .Biol. Chem. 266:11947-11954.
3. Houck K.A., *et. al.* (1991) J .Mol. Endocrinol. 5:1806-1814.
4. Poltorak Z., *et. al.* (1997) J . Biol. Chem. 272:7151-7158.



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

5. Claffey K.P., *et. al.* (1998) J .Mol. Biol. Cell 9:469-481.