



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBE711Hu01 10 μ g

Recombinant Tubulin Beta 3 (TUBb3)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

9th Edition (Revised in Jul, 2013)

[PROPERTIES]

Residues: Tyr222~Glu438 (Accession # Q13509), with two
N-terminal Tags, His-tag and GST-tag.

Host: *E. coli*

Subcellular Location: Cytoplasm, cytoskeleton.

Purity: >95%

Endotoxin Level: <1.0EU per 1 μ g (determined by the LAL
method).


Formulation: Supplied as lyophilized form in PBS, pH7.4,
containing 5% sucrose, 0.01% sarcosyl.

Predicted isoelectric point: 5.9

Predicted Molecular Mass: 56.8kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)



[USAGE]



Reconstitute in sterile PBS, pH7.2-pH7.4.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The target protein is fused with two N-terminal Tags, His-tag and GST-tag, its sequence is listed below.

MSPILGYWKI KGLVQPTRLL LEYLEEKYEE HLYERDEGDK WRNKKFELGL EFPNLPYYID
GDVKLTQSM A IIRYIADKH N MLGGCPKERA EISMLEGAVL DIRYGVSR I A YSKDFETLK V
DFLSKLPEML KMFEDRLCHK TYLNGDHVTH PDFMLYDALD VVLYMDPMCL DAFPKLVCFK
KRIEAIQID KYLKSSKYIA WPLQGQWATF GGGDHPPKSD GSTSGSGHHH HHSAGLVPR
GSTAIGMKET AAKFERQHM DSPDLGTLEV LFQGPLGSEF-YGDLNHLVS ATMSGVTTS L
RFPGQLNADL RKLAVNMVPF PRLHFFMPGF APLTARGSQQ YRALTVP E L T QQMFDKNMM
AACDPRHGRY LTVATVFRGR MSMKEVDEQM LAIQSKNSSY FVEWIPNNVK VAVCDIPPRG
LKMSSTFIGN STAIQELFKR ISEQFTAMFR RKAFLHWYTG EGMDEMEFTE AESNMNDLVS
EYQQYQDATA EEEGEMYE

[REFERENCES]

1. Katsetos C.D., *et al.* (2003) J. Child Neurol. 18:851-866.
2. Tischfield M.A., *et al.* (2010) Cell 140:74-87.



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

3. Poirier K., *et al.* (2010) Hum. Mol. Genet. 19:4462-4473.
4. Hari M., *et al.* (2003) Cell Motil. Cytoskeleton 56:45-56.