

TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBC281Mu01 100µg

Recombinant Adenosine Kinase (ADK)

Organism Species: Mus musculus (Mouse)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

[PROPERTIES]

Residues: Met1~His361

Tags: Two N-terminal Tags, His-tag and GST-tag

Accession: P55264

Host: E. coli

Subcellular Location: Nucleus. Cytoplasm.

Purity: >95%

Endotoxin Level: <1.0EU per 1 µg (determined by the

LAL method).

Formulation: Supplied as lyophilized form in PBS, pH7.4,

containing 5% trehalose, 0.01% sarcosyl.


Predicted isoelectric point: 5.8

Predicted Molecular Mass: 70.1kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

[USAGE]



Reconstitute in sterile PBS, pH7.2-pH7.4.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less

[SEQUENCES]

The sequence of the target protein is listed below.

MAAADEPKPK KLKVEAPQAL SENVLFGMGN PLLDISAVVD KDFLDKYSLK PNDQILAEDK

HKELFDELVK KFKVEYHAGG STQNSMKVAQ WLIQEPHKAA TFFGCIGIDK FGEILKRKAA

DAHVDAHYYE QNEQPTGTCA ACITGGNRSL VANLAAANCY KKEKHLDLER NWVLVEKARV

YYIAGFFLTV SPESVLKVAR YAAENNRVFT LNLSAPFISQ FFKEALMDVM PYVDILFGNE

TEAATFAREQ GFETKDIKEI AKKAQALPKV NSKRQRTVIF TQGRDDTIVA AENDVTAFPV

LDQNQEEIID TNGAGDAFVG GFLSQLVSDK PLTECIRAGH YAASVIIRRT GCTFPEKPDF H

than 5% within the expiration date under appropriate storage condition.