TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBD822Ra01 50µg

Recombinant Thrombospondin 2 (THBS2)

Organism Species: Rattus norvegicus (Rat)

> Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

> 11th Edition (Revised in May, 2016)

[PROPERTIES]

Source: Prokaryotic expression.

Host: E. coli

Residues: Asp968~Arg1170

Tags: Two N-terminal Tags, His-tag and GST-tag

Tissue Specificity: Brain, Kidney, Heart.

Purity: >98%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 1mM

EDTA, 1mM DTT, 0.01% sarcosyl, 5%Trehalose and Proclin300.

Original Concentration: 200ug/mL

Applications: SDS-PAGE; WB; ELISA; IP; CoIP; Purification; Amine

Reactive Labeling.

(May be suitable for use in other assays to be determined by the end user.)



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

Predicted isoelectric point:

6.4 Predicted Molecular Mass:

53. 3kDa

Accurate Molecular Mass: 53kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 20mM Tris, 150mM aCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



[SEQUENCE]

DPK GTTQIDPNWV IRHQGKELVQ TANSDPGIAV GFDEFGSVDF SGTFYVNTDR DDDYAGFVFG YQSSSRFYVV MWKQVTQTYW EDKPSRAYGY SGVSLKVVNS TTGTGEHLRN ALWHTGNTEG QVRTLWHDPK NIGWKDYTAY RWHLIHRPKT GYMRVLVHEG KQVMADSGPI YDQTYAGGRL GLFVFSQEMV YFSDLKYECR

[IDENTIFICATION]




Figure 1. SDS-PAGE



EL:4006-871-227 Web:www.ybio. net Email:shybio

@126.com