TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBB559Hu01 50µg Recombinant Cofilin 1, Non Muscle (CFL1) Organism Species: Homo sapiens (Human) Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

## [ <u>PROPERTIES</u> ]

Residues: Ser3<sup>~</sup>Leu161

Tags: Two N-terminal Tags, His-tag and T7-tag Accession: P23528

Host: E. coli

Subcellular Location: Nucleus matrix. Cytoplasm,

cytoskeleton. Cell projection, ruffle membrane;


Peripheral membrane protein; Cytoplasmic side.

Lamellipodium membrane.

Purity: >90%

Endotoxin Level: <1.0EU per  $1 \mu g$  (determined by the LAL method).

Formulation: Supplied as lyophilized form in 100mM NaHCO3, 500mM NaCl, pH8.3, containing 1mM EDTA, 1mM DTT, 0.01% sarcosyl, 5% trehalose, and preservative.





TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

Predicted isoelectric point: 8.5

Predicted Molecular Mass:

21.6kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

[ USAGE ]

Reconstitute in ddH<sub>2</sub>O.

## [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliguot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that incubate the protein at 37°C for 48h, and no obvious degradation and is, precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

## [ SEQUENCES ]

The sequence of the target protein is listed below. SGVAVSDG VIKVFNDMKV RKSSTPEEVK KRKKAVLFCL SEDKKNIILE EGKEILVGDV GOTVDDPYAT FVKMLPDKDC RYALYDATYE TKESKKEDLV FIFWAPESAP LKSKMIYASS KDAIKKKLTG IKHELQANCY EEVKDRCTLA EKLGGSAVIS L

## [ REFERENCES ]

1. Ogawa K., et al. (1990) Nucleic Acids Res. 18:7169-7169.



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

2. Gillett G.T., et al. (1996) Ann. Hum. Genet. 60:201-211.

3. Nakano K., et al. (2003) Exp. Cell Res. 287:219-227.

4. Gohla A., et al. (2005) Nat. Cell Biol. 7:21-29.