TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBL824Mu01 100µg

Recombinant Kidney And Brain Protein (KIBRA)

Organism Species: Mus musculus (Mouse)

Instruction manua1

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

> 10th Edition (Revised in Jan, 2014)

[PROPERTIES]

Residues: Glu847~Met1094

Tags: Two N-terminal Tags, His-tag and T7-tag

Accession: Q5SXA9

Host: E. coli

Subcellular Location: Cell membrane. Cell projection.


Cytoplasm. Membrane. Nucleus.

Purity: >95%

Endotoxin Level: <1.0EU per 1 µ g (determined by the

LAL method).

Formulation: Supplied as lyophilized form in PBS, pH7.4, containing 5% trehalose, 0.01% sarcosyl.



The possible reasons that the actual band size differs from the predicted are as follows: Predicted isoelectric point:

9.0 Predicted Molecular Mass:

32. 4kDa

Accurate Molecular Mass: 40kDa as determined by SDS-PAGE reducing

conditions. Applications: SDS-PAGE; WB; ELISA; IP.



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

(May be suitable for use in other assays to be determined by the end user.)

Note:

- 1. Splice variants: Alternative splicing may create different sized proteins from the same gene.
- 2. Relative charge: The composition of amino acids may affects the charge of the
- 3. Post-translational modification: Phosphorylation, glycosylation, methylation etc.
- 4. Post-translation cleavage: Many proteins are synthesized as pro-proteins, and then cleaved to give the active form.
- 5. Polymerization of the target protein: Dimerization, multimerization etc.

[USAGE]

Reconstitute in sterile PBS, pH7. 2-pH7. 4.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that incubate the protein at 37°C for 48h, and no obvious degradation and is, precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below. ENEA VAEEEEGEE DVFTEKVSPE AEECPALKVD RETNTDSVAP SPTVVRPKDR RVGAPSTGPF LRGNTIIRSK TFSPGPQSQY VCRLNRSDSD SSTLSKKPPF VRNSLERRSV RMKRPSSVKS LRTERLIRTS LDLELDLQAT RTWHSQLTQE ISVLKELKEH LEQAKNHGEK



E L P Q W L R E D E R F R L L L R M L E K K V D R G E H K S E L Q A D K M M R A A A K D V H R L R G

QSCKEPPEVQ SFREKMAFFT RPRM