



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBH705Mu01 50μg
Recombinant Lymphocyte Antigen 96 (LY96)
Organism Species: Mus musculus (Mouse)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

[PROPERTIES]

Residues: Thr16~Asn160

Tags: N-terminal His-Tag

Accession: Q9JHF9

Host: *E. coli*

Subcellular Location: Secreted, extracellular space.

Purity: >95%

Endotoxin Level: <1.0EU per 1μg

(determined by the LAL method).

Formulation: Supplied as lyophilized form in 10mM

PBS, pH7.4, containing 1mM DTT, 5% trehalose,


0.01% sarcosyl and preservative.

Predicted isoelectric point: 6.4

Predicted Molecular Mass: 18.2kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)



[USAGE]

Reconstitute in sterile ddH₂O.



[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

TE SEK QQWFC NSSDA IIS YSYCD HL KFPISISSEP CIRLRG TN GF VH VEFIPRG N
LKYLYFNLF SVNSIELPKR KEVLCHGHDD DYSFCRALKG ETVNTSIPFS FEGILFPKGH
YRCVAEAIAG DTEEKLFCLN FTIIHRRDVN

[REFERENCES]

1. Kato K., *et al.* (2000) *Blood* 96:362-364.
2. Akashi S., *et al.* (2000) *J. Immunol.* 164:3471-3475.
3. Kim H.M., *et al.* (2007) *Cell* 130:906-917.
4. Gomi K., *et al.* (2002) *J. Immunol.* 168:2939-2943.