

TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBC565Ra01 100ug

Recombinant Eukaryotic translation initiation factor 2D (EIF2D)

Organism Species: Rattus norvegicus (Rat)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

[PROPERTIES]

Residues: Glu360~Lys570

Tags: Two N-terminal Tags, His-tag and T7-tag

Accession: Q5PPG7

Host: E. coli

Subcellular Location: Cytoplasm.

Purity: >95%

Endotoxin Level: <1.0EU per 1 µ g (determined by the LAL

method).

Formulation: Supplied as lyophilized form in 20mM


Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM

DTT, 0.01% sarcosyl, 5% trehalose, and preservative.

Predicted isoelectric point: 9.1

Predicted Molecular Mass:

27. 4kDa



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

[USAGE]

Reconstitute in sterile ddH2O.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below. E KPYLPPDIKS LYCVPANMTQ LFLESGHKKG STLEGSEVRR IITDYAKRNN LVDADNRNLV KLDPILCDCI LEKNEQHLVM KLPWDSLLTR CLKNLQPAYQ VTFPGQEPII KKGKLCPIDI TLVLKTYNKK VTVVRNLETY GLDPCSVAAI LQQRCQASTI VSPAPGAKDS LQVQVQGNQI HHLGQLLLEE YRLPGKYIQG LEKAPKPGKK